

FROZEN YOGHURT MACHINES

The multi-purpose Summit machine combines technological innovation and versatility with ease of use, allowing you to delight your customers. Thanks to its innovative bowl temperature control system and push button that allows increased working speed, GT Push is the only counter-top machine on the market capable of preparing real frozen cream (coffee cream, hazelnut cream, etc.) as well as soft ice cream and frozen yoghurt.

With the GT Push you can prepare soft ice cream and frozen yoghurt, together with any product that can be prepared with a temperature between 7 and 10 degrees below zero.

FEATURES

- Compact counter machine
 - Exceptional quality/price ratio
 - LED based electronic key pad
 - HACCP certified
 - Lockable lid
- Designed to work with water or milk based dried products or with mixtures ready to be poured into the bowl, providing a significant overrun
 - Automatic defrost mode
 - Available in one or two bowl configuration



GT1 PUSH - 1 BOWL
SIM1001

SPECIFICATIONS	
CAPACITY	: 1 X 6LT
DIMENSIONS	: 260 X 425 X 650MM
NET WEIGHT	: 28KG
POWER	: 350W - 230V - 50Hz
CONTROL KEYBOARD	: Electronic with LED
DISPENSING MODE	: Manual
REFRIGERANT	: R404a
PREPARATION TIME	: 40 - 60min



GT2 PUSH - 2 BOWL
SIM1002

SPECIFICATIONS	
BOWL CAPACITY	: 2 X 6LT
DIMENSIONS	: 450 X 435 X 650MM
NET WEIGHT	: 46KG
POWER	: 765W - 230V - 50Hz
CONTROL KEYBOARD	: Electronic with LED
DISPENSING MODE	: Manual
REFRIGERAT	: R404a
PREPARATION TIME	: 40 - 60min



Display Units

Choose from hot, cold or ambient units in various sizes; within our range you will find a display unit to suit your individual needs and highlight your food in the best possible way.

Section Index

Ambient Display Cabinets	105
Cake Display Fridges	105 - 106
Cold Food Bars	103 - 104
Grab and Go Displays	107
Heated Display unit	97 - 99
Ice cream Display Unit	102
Pie Warmers	107 - 108
Pizza Display Units	103
Refrigerated Display unit	97, 100 - 102





ANVIL

2 YEAR WARRANTY

5 REASONS WHY

- 2 Year warranty
- National spare parts support
- Unrivalled after-sales service
- Trusted by South African industry professionals since 1993
- Engineered and manufactured to the highest international safety standards

SALVADORE

5 REASONS WHY

- Established brand since 2009
- Designed and manufactured to withstand commercial kitchen demands
- Solutions for all your display needs
- Front and back of house products that offer unique solutions
- Compact and practical products in modern designs

DISPLAY UNITS

FLOOR STANDING - HEATED

FEATURES

- Pleasing modern design
- Temperature range 40°C to 75°C at ambient temperature of 32°C
- Illuminated shelf and base for perfect product presentation
- Castor wheels make the unit easy to move
- Digital display and temperature control; for high accuracy
- Grade 304 S/Steel interior

CENCIO



**900MM
DHC7900**

SPECIFICATIONS

CAPACITY	: 285LT
SHELVES	: 3
VOLTAGE	: 230V - 50Hz
DIMENSIONS	: 900 X 680 X 1200MM
WEIGHT	: 122KG

**1200MM
DHC7200**

SPECIFICATIONS

CAPACITY	: 390LT
SHELVES	: 3
VOLTAGE	: 230V, 50Hz
DIMENSIONS	: 1200 X 680 X 1200MM
WEIGHT	: 139KG

**1500MM
DHC7500**

SPECIFICATIONS

CAPACITY	: 500LT
SHELVES	: 3
VOLTAGE	: 230V, 50Hz
DIMENSIONS	: 1500 X 680 X 1200MM
WEIGHT	: 157KG

**FLOOR STANDING
HEATED AND REFRIGERATED**

FEATURES

- Half side heated, half side refrigerated
- Heated temperature range +40°C to +75°C
- Refrigerated temperature range +2°C to +8°C
- Illuminated shelves for perfect product presentation
- Castor wheels make the unit easy to move
- Twin, easy access sliding doors for each section
- Digital display and temperature control independent for each section
- Grade 304 S/Steel interior
- Unit supplied with two adjustable shelves



**COMBO - HOT/COLD - 1500MM
DCC1500**

SPECIFICATIONS

CAPACITY	: 485LT
SHELVES	: 3
POWER	: 1.3KW
VOLTAGE	: 230V - 50Hz
DIMENSIONS	: 1500 X 680 X 1200MM
WEIGHT	: 254KG

SALVADORE

FLOOR STANDING - HEATED

FEATURES

- Temperature range 40°C - 75°C at ambient temperature of 32°C
- Illuminated shelf and base for perfect product presentation
- Castor wheels make the unit easy to move
- Digital display and temperature control for high accuracy
- Grade 304 S/Steel interior
- Unit provided with two adjustable shelves



ADONE

**900MM
DHC1900**

SPECIFICATIONS

CAPACITY	: 225LT
SHELVES	: 3
VOLTAGE	: 230V - 50Hz
DIMENSIONS	: 900 X 730 X 1200MM
WEIGHT	: 112KG

**1200MM
DHC2200**

SPECIFICATIONS

CAPACITY	: 310LT
SHELVES	: 3
VOLTAGE	: 230V - 50Hz
DIMENSIONS	: 1200 X 730 X 1200MM
WEIGHT	: 134KG

**1500MM
DHC2500**

SPECIFICATIONS

CAPACITY	: 395LT
SHELVES	: 3
VOLTAGE	: 230V - 50Hz
DIMENSIONS	: 1500 X 730 X 1200MM
WEIGHT	: 153KG

COUNTERSUNK - HEATED

FEATURES

- Counter top type can be fitted on or into counter
- Robust stainless steel outer body
- Temperature range 40°C - 75°C at ambient temperature of 32°C
- Will maintain displayed product at HACCP controlled temperature
- Illuminated shelf and base for perfect product presentation
- Digital display and temperature control for high accuracy
- Grade 304 S/Steel interior
- Unit provided with 1 adjustable shelf & fixed bottom shelf



ALESSIA

**900MM
DHC0900**

SPECIFICATIONS

CAPACITY	: 70LT
SHELVES	: 2
VOLTAGE	: 230V - 50Hz
DIMENSIONS	: 900 X 470 X 680MM
WEIGHT	: 46KG

**1200MM
DHC1200**


SPECIFICATIONS

CAPACITY	: 94LT
SHELVES	: 2
VOLTAGE	: 230V - 50Hz
DIMENSIONS	: 1200 X 470 X 680MM
WEIGHT	: 65KG

Note

It is essential that the cabinet below the cut-out is well ventilated
Poor ventilation will affect the performance of the unit

WORKTOP CUT OUT



Model	A	B
DHC0900	850	430
DHC1200	1150	430
DHC1500	1450	430

HOT FOOD BAR

FEATURES

- Counter top unit can be fitted on or into counter
- Robust S/Steel construction
- Specially designed element to ensure excellent heat distribution
- Illuminated via fluorescent lighting for perfect product presentation
- Adjustable feet for levelling on uneven surfaces
- To be used with water

**3 DIVISION
BMA4003**

SPECIFICATIONS

VOLTAGE	: 230V
POWER	: 1800W
DIMENSIONS	: 1074 X 710 X 728MM
WEIGHT	: 95KG
DIVISIONS	: 3

Note

Inserts sold separately



HEATED DISPLAY MERCHANDISER - COUNTERTOP

FEATURES

- Screened glass for up market appearance
- Low maintenance halogen light fittings
- High power German supplied tangential fan blowers
- Removable top glass easy to clean
- High quality smooth running removable sliding doors
- Removable water tray to provide humidity
- Removable chrome wire rack for additional small items
- Thermostatic heat control
- Dry heat element with fan assisted air flow provides even heat distribution
- Humidity tray to maintain moisture

**3 DIVISION
HDM0003**

SPECIFICATIONS

NUMBER OF DIVISIONS	: 3
MAX INSERT DEPTH	: 100MM
POWER RATING	: 2.5kW
VOLTAGE	: 230V - 50Hz
DIMENSIONS	: 1070 X 720 X 630MM
BOX DIMENSIONS	: 1120 X 840 X 910MM
PACKED WEIGHT	: 70KG

Note

Inserts sold separately

COUNTERSUNK - REFRIGERATED

FEATURES

- Temperature range +2°C to +8°C at ambient temperature of 32°C
 - Unit provided with 1 adjustable shelf
 - LED illuminated shelf and base for perfect product presentation
 - Digital display and temperature control for high accuracy
- Automatic defrost
 - Tempered glass
 - Grade 304 S/Steel interior
 - Double glazed glass windows to prevent condensation



AZELIO



900MM
DFC1900

SPECIFICATIONS


- CAPACITY
- SHELVES
- POWER
- VOLTAGE
- DIMENSIONS
- WEIGHT
- : 70LT
- : 2
- : 280W
- : 230V - 50Hz
- : 900 X 470 X 680MM
- : 66KG

1200MM
DFC2200

SPECIFICATIONS

- CAPACITY
- SHELVES
- POWER
- VOLTAGE
- DIMENSIONS
- WEIGHT
- : 94LT
- : 2
- : 400W
- : 230V - 50Hz
- : 1200 X 470 X 680MM
- : 88KG

WORKTOP CUT-OUT



Model	A	B
DFC1900	850	430
DFC1200	1150	430



FLOOR STANDING - REFRIGERATED

FEATURES

- Temperature range +2°C to +8°C ambient temperature of 32°C
 - LED illuminated shelf and base for perfect product presentation
 - Digital display and temperature control for high accuracy
 - Grade 304 S/Steel interior
 - Unit provided with two adjustable shelves
- Automatic defrost
 - Tempered heated glass
 - Double glazed glass window to prevent condensation
 - Castor wheels make the unit easy to move



CAPPI



900MM
DFC7900

SPECIFICATIONS

- CAPACITY
- SHELVES
- POWER
- VOLTAGE
- DIMENSIONS
- WEIGHT
- : 285LT
- : 3
- : 626W
- : 230V - 50Hz
- : 900 X 680 X 1200MM
- : 174KG

1200MM
DFC7200

SPECIFICATIONS

- CAPACITY
- SHELVES
- POWER
- VOLTAGE
- DIMENSIONS
- WEIGHT
- : 390LT
- : 3
- : 769W
- : 230V - 50Hz
- : 1200 X 680 X 1200MM
- : 215KG

1500MM
DFC7500

SPECIFICATIONS

- CAPACITY
- SHELVES
- POWER
- VOLTAGE
- DIMENSIONS
- WEIGHT
- : 500LT
- : 3
- : 923W
- : 230V - 50Hz
- : 1500 X 680 X 1200M
- : 254KG



FLOOR STANDING - REFRIGERATED

FEATURES

- Temperature range +2°C to +8°C at ambient temperature of 32°C
- Unit provided with 2 adjustable shelves
- Digital display and temperature control for high accuracy
- Automatic defrost
- LED illuminated shelf and base for perfect product presentation
- Grade 304 S/Steel interior
- Double glazed glass windows to prevent condensation
- Castor wheels make the unit easy to move



AZZURO

**900MM
DFC0900**

SPECIFICATIONS

CAPACITY	: 225LT
SHELVES	: 3
POWER	: 1000W
VOLTAGE	: 230V - 50Hz
DIMENSIONS	: 900 X 730 X 1200MM
WEIGHT	: 163KG

**1200MM
DFC1200**

SPECIFICATIONS

CAPACITY	: 310LT
SHELVES	: 3
POWER	: 1100W
VOLTAGE	: 230V - 50Hz
DIMENSIONS	: 1200 X 730 X 1200MM
WEIGHT	: 200KG

**1500MM
DFC1500**

SPECIFICATIONS

CAPACITY	: 395LT
SHELVES	: 3
POWER	: 1200W
VOLTAGE	: 230V - 50Hz
DIMENSIONS	: 1500 X 730 X 1200MM
WEIGHT	: 274KG

TABLE TOP

FEATURES

- Automatic defrost
- Temperature range -20°C to -15°C
- High quality digital temperature controller
- Heated front window to prevent condensation build up
- Low pressure hermetic compressor R404 gas
- Unit supplied with five polycarbonate 3.5LT storage pans
- Grade 304 S/Steel interior

**ICE CREAM FREEZER - 1200MM
ICF1200**

SPECIFICATIONS

CAPACITY	: 5 X 3.5LT pans
POWER	: 500W
VOLTAGE	: 230V - 50Hz
DIMENSIONS	: 1200 X 540 X 790MM
WEIGHT	: 130KG

OTHER ORDER CODES

ICE CREAM FREEZER INSERT

ICF1201
325 X 176 X 100MM

Note

Inserts Included

SALVADORE

REFRIGERATED PIZZA DISPLAYS

The Salvadore refrigerated pizza display cabinets are ideal for the display and storage of ingredients used in pizza and sandwich outlets

FEATURES

- Keeps food between +2°C and +10°C at +32°C ambient
- Ideal for storing and display of pizza or sandwich ingredients
- Sneeze guard glass for hygiene
- Low maintenance auto defrost function
- Can accommodate 6 or 9 GN1/4 inserts
- High quality digital set point controller

**INGREDIENT FRIDGE - 1400MM
PIF1400**

SPECIFICATIONS

POWER	: 0.16kW
VOLTAGE	: 230V - 50Hz
DIMENSIONS	: 1400 X 350 X 440MM
BOX DIMENSIONS	: 500 X 450 X 540MM
PACKED WEIGHT	: 44KG

**INGREDIENT FRIDGE - 2000MM
PIF2000**

SPECIFICATIONS

POWER	: 160W
VOLTAGE	: 230V - 50Hz
DIMENSIONS	: 2000 X 350 X 440MM
BOX DIMENSIONS	: 2100 X 450 X 540MM
PACKED WEIGHT	: 53KG

Note

Inserts sold separately

COLD FOOD BARS

FEATURES

- Electronic thermostat with constant digital reading
- Pressed tank with drainage and rounded corners for ease of cleaning
- Sliding doors easy to remove and clean
- Temperature range - +2°C and +6°C
- High quality watertight silent compressor with a ventilated dual condenser
- S/Steel and tempered glass design
- LED lighting system

**6 INSERT - SILVER
SDF5006**

SPECIFICATIONS

CAPACITY	: 6 Pan (GN1/3 X 40MM)
VOLTAGE	: 230V - 50Hz
REFRIGERANT	: R134a
DIMENSIONS	: 1438 X 395 X 245MM

**8 INSERT - SILVER
SDF5008**

SPECIFICATIONS

CAPACITY	: 8 Pan (GN1/3 X 40MM)
VOLTAGE	: 230V - 50Hz
REFRIGERANT	: R134a
DIMENSIONS	: 1788 X 395 X 245MM

OTHER ORDER CODES

**COLD FOOD BAR - THIRD INSERT
XSDF2015****Note**

Inserts included

SALVADORE

COLD FOOD BARS - SQUARE

FEATURES

- Built with double glazed glass
- Flat top surface tempered crystals to gain more workspace on top
- Double lighting
- Access height to work comfortably inside
- Easy-cleaning powerful evaporator
- Temperature range +2°C - +6°C


6 INSERT - BLACK
SDF7006

SPECIFICATIONS

CAPACITY : 6 INSERTS
 DIMENSIONS : 1190 X 380 X 300MM


8 INSERT - BLACK
SDF7008

SPECIFICATIONS

CAPACITY : 8 INSERTS
 DIMENSIONS : 1540 X 380 X 300MM

Note

Inserts included



AMBIENT DISPLAY CABINETS

Our Salvadore displays are neat, classy and provide a hygienic ambient display for muffins, biscuits and other items not requiring heating or refrigeration. We have four types of these units, and you can choose the one that best suits the demands and requirements of your business.

FEATURES

- Rear sliding doors
- Tempered glass
- Supplied in knock down form
- Easy to assemble
- Glass protector profile

**SINGLE SHELF - MEDIUM**

NDC0001 - 920 X 330 X 215MM

**SINGLE SHELF - EXTRA LONG**

NDC1001 - 1200 X 330 X 215MM

**DOUBLE SHELF - SMALL**

NDC0003 - 555 X 390 X 375MM

DOUBLE SHELF - MEDIUM

NDC0002 - 920 X 330 X 315MM

**DOUBLE SHELF - EXTRA LONG**

NDC1002 - 1200 X 330 X 315MM



CAKE DISPLAY FRIDGE

FEATURES

- Modern design
- Double glazed windows with heater to prevent condensation
- Reliable refrigeration system using high quality components
- Accurate digital temperature control with digital temperature readout
- Automatic defrost

**FLOOR STANDING**

CDF3701

SPECIFICATIONS

DIMENSIONS : 700 X 650 X 1900MM
 WEIGHT : 170KG
 CAPACITY : 420LT
 POWER : 230V - 50Hz
 TEMP : +2°C to +10°C

This unit is ideal for any area where the display of refrigerated products is required. The rotating shelves will stop when the door is opened. The unit has a power saving function that allows you to turn off the rotating shelves and the display lights while still maintaining the refrigeration temperature.

CAKE DISPLAY FRIDGES

FEATURES

- Compact design for counter top use
- 4 fully adjustable shelves
- Available with either rotating or fixed adjustable height shelves
- Adjustable leveling feet
- Exterior and interior constructed from Aluminium and stainless steel
- Double glazed windows with heater to prevent condensation
- Self closing magnetic sealing door
- Automatic defrost
- Digital electronic temperature control unit
- Ozone friendly R134a gas
- Designed for tropical conditions
- Interior illumination for perfect product presentation

TABLE TOP ROTATING SHELVES
CDF2000

SPECIFICATIONS

DIMENSIONS	: 524 X 449 X 1083MM
WEIGHT	: 60KG
CAPACITY	: 120LT
POWER	: 0.48KW
VOLTAGE	: 230V - 50Hz
TEMP	: +2°C to +10°C at ambient temperature +32°C

FLOOR STANDING
CDF2001


SPECIFICATIONS

DIMENSIONS	: 650 X 650 X 1790MM
WEIGHT	: 110KG
CAPACITY	: 500LT
POWER	: 0.57KW
VOLTAGE	: 230V - 50Hz
TEMP	: +2°C to +10°C at ambient temperature +32°C

GRAB AND GO DISPLAYS

FEATURES

- Perfect for point-of-sale display of hot products such as chickens and pies
- Perfect for point-of-sale display of products requiring refrigeration
- LED illumination for each shelf
- Unit fitted with 4 shelves
- Digital temperature control
- Powerful circulation fan ensures even shelf temperatures
- Unit fitted with castors for easy movement 2 with brakes
- Automatic defrost
- Night curtain

COOLED
GGC0001

SPECIFICATIONS

POWER	: 1340W
VOLTAGE	: 230V - 50Hz
WEIGHT	: 96KG
CAPACITY	: 220LT
DIMENSIONS	: 494 X 674 X 1740MM
TEMPERATURE RANGE	: 2-10°C

HEATED
GGH0001

SPECIFICATIONS

POWER	: 2000W
VOLTAGE	: 230V - 50Hz
WEIGHT	: 67KG
CAPACITY	: 220LT
DIMENSIONS	: 494 X 600 X 1740MM
TEMPERATURE RANGE	: 30-80°C

SALVADORE

PIE WARMER

FEATURES

- Fixed front glass
- Rear hinged glass door
- 3 shelves - 105MM spacing between shelves
- Thermostatically controlled heater, temp range 30°C to 110°C
- Interior light
- Illuminated signage panel in front
- Removable crumb tray
- Humidity pan
- Temperature indicating gauge
- Operating temperature: 50°C - 80°C

2 YEAR WARRANTY

MINI
PWK0007
PIE WARMER

SPECIFICATIONS

VOLTAGE	: 230V
POWER	: 0.75kW
DIMENSIONS	: 353 X 393 X 604MM
WEIGHT	: 13.7KG



SALVADORE

ANJIL

PIE WARMERS

FEATURES

- This unit is ideal for use in small supermarkets or fast-food outlets
- Thermostatically controlled temperature
- Rear sliding doors
- Easily removable crumb tray
- Full S/Steel double wall construction, keeps outside wall cool
- Operating temperature: 50°C - 80°C



640MM PWK0004

SPECIFICATIONS

VOLTAGE	: 230V
POWER	: 1kW
DIMENSIONS	: 640 X 364 X 525MM
WEIGHT	: 23KG
CAPACITY	: Approx 30 standard size pies

865MM PWK0005

SPECIFICATIONS

VOLTAGE	: 230V
POWER	: 1kW
DIMENSIONS	: 865 X 364 X 525MM
WEIGHT	: 21KG
CAPACITY	: Approx 50 standard size pies

FEATURES

- This attractive unit with illuminated display and superb product visibility offers excellent point-of-sale value
- Convenient front and rear sliding doors provide quick, easy access
- Humidity pan prevents drying out
- Front mounted temperature indicating gauge for monitoring internal temperature
- Suitable for bakeries, take-aways and convenience stores
- Shelves can be adjusted and sloped for display purposes
- Thermostatically controlled heater, temp range 50°C - 90°



900MM PWK0003-R01

SPECIFICATIONS

VOLTAGE	: 230V
POWER	: 1.5kW
DIMENSIONS	: 873 X 483 X 590MM
WEIGHT	: 50KG
CAPACITY	: Approx 45 standard size pies

1200MM PWK0006-R01

SPECIFICATIONS

VOLTAGE	: 230V
POWER	: 1.8kW
DIMENSIONS	: 1200 X 483 X 785MM
WEIGHT	: 72KG
CAPACITY	: Approx 60 standard size pies



Processing

Find the ideal piece of equipment to blend, slice, prepare, mix, convert or preserve. Choose from our range of world leading brands such as Hamilton Beach, Robot Coupe and Rheninghaus amongst others.

Section Index

Bandsaws	128 - 129	Milkshake Mixers	154 - 155
Bar Blenders	151 - 153	Mincer Funnels	143
Biltong Slicers/Cutters	133	Mincer Knives & Plates	130
Blades	117	Mincers	130 - 132
Blixers	120 - 121	Mixing Machine	132
Bowl Cutters	119 - 120	Patty Formers/Machines	144
Chippers	133	Planetary Mixers	146 - 149
Culinary Blenders	150 - 151	Potato Peeler	122
D-Cleaning Kit	116	Robot Cook	118
Dough Roller	149	Sausage Filler Funnels	143
Food Blenders	157	Sausage Fillers	141 - 142
Food Processors	113 - 114	Slicers	122 - 127
French Fry Cutter	134	Spiral Dough Mixers	145
Heat Sealing Machines	135	Tenderiser	144
Ice Crushers	158	Tomato Slicer	134
Ice Shaver	158	Vacuum Pack Machines	136 - 140
Immersion Blenders	111 - 112	Vegetable Cutter & Blades	121
Immersion Mixer	111	Vegetable Mill	134
Juice Extractors	156 - 157	Vegetable Preparation Machines	114 - 116
Milkshake Mixers - Accessories	154 - 155	Wrapping Machines	134

