



RAFFA'S

BLENDERS

RAFFAS.CO.ZA



EQUIPMENT



CARBON BLENDER



CARBON F1
SY60126
 F1 CARBON BLENDER
 WITH 1.5L JUG **BLACK**



CARBON F2
SY61338
 F2 CARBON BLENDER
 WITH 1.5L JUG **BLACK**



CARBON F3
SY60133
 F3 CARBON BLENDER
 WITH SOUND COVER &
 1.5L JUG **BLACK**

- ON/OFF SWITCH
- SPEED DIAL
- PULSE SWITCH
- ON/TIMER DIAL

CARBON F1 **BLEND F1**

FUNCTIONS: Manual Power Selection Dial & Pulse Functions

MOTOR: Copper motor with overload cut out switch & safety jug; start / stop switch

JUG: 2 Litre Jug (Tritan BPA FREE)

VOLTAGE: 220-240V 50-60Hz

WATTAGE: 1800 Wattage motor

NOISE: 83Db

DIMENSIONS: H:510 x W:190 xD:200mm

WEIGHT: 5.1kg

- IEC & NRCS approved

ONE YEAR GUARANTEE

CARBON F2 **BLEND F1**

FUNCTIONS: Three pre-set speeds & one touch timer function; pulse function

MOTOR: Copper motor with overload cut out switch & safety jug; start / stop switch

JUG: 2 Litre Jug (Tritan BPA FREE)

VOLTAGE: 220-240V 50-60Hz

WATTAGE: 1800 Wattage motor

NOISE: 83Db

DIMENSIONS: H:510 x W:190 xD:200mm

WEIGHT: 5.1kg

- IEC & NRCS approved

ONE YEAR GUARANTEE

CARBON F3 **BLEND F3**

FUNCTIONS: Manual Power Selection Dial; Pulse Switch & Timer Switch

MOTOR: Copper motor with overload cut out switch & safety jug; start / stop switch

JUG: 2 Litre Jug with rubber handle (BPA FREE)

WATTAGE: 3HP Industrial 1800 Wattage motor

- Variable speed control
- Over-heat protection
- IEC & NRCS approved

ONE YEAR GUARANTEE

EQUIPMENT



CARBON BLENDER SPARE PARTS



**CARBON SPARE PARTS
(FOR F1, F2 & F3)**

SY60140
JUG 1.5L INCL.LID



CARBON F3 SPARE PARTS

SY9003B
BLADE ASSEMBLY



CARBON F3 SPARE PARTS

SY9003FB
BOTTOM PLATE
SY767G
DRIVE SOCKET

ALL IN ONE - DELICIOUS & NUTRITIOUS



FRUIT JUICE



MILKSHAKE



JAM



SMOOTHIES



SOUPS



PUREE

EQUIPMENT

BLENDERS



HAMILTON BEACH

CBH0500-R01
COMMERCIAL BLENDER
STAINLESS STEEL JUG 1.8L

SPECIFICATIONS

JUG CAPACITY: 1.8L
MOTOR POWER: 2.4 HP - 220-240V/ 50-60HZ, 6.5A
DIMENSIONS: 190 X 210 X 515MM
WEIGHT: 6.3KG



LIFETIME WARRANTY
ON BLADE AND MOTOR DRIVE COUPLING



HAMILTON BEACH

EBH0750-R01
ECLIPSE HIGH PERFORMANCE BLENDER 2L

SPECIFICATIONS

JUG CAPACITY: 2L
MOTOR POWER: 3HP - 220-240V - 50/60HZ
DIMENSIONS: 216 X 286 X 470MM
WEIGHT: 6.3KG

XEBH0001

ECLIPSE BLENDER - SPARE JUG



HAMILTON BEACH

FBH0550
COMMERCIAL FURY BLENDER 1.8L

SPECIFICATIONS

JUG CAPACITY: 1.8L
MOTOR POWER: 3HP - 220-240V - 50/60HZ
DIMENSIONS: 178 X 203 X 457MM
WEIGHT: 6.3KG

TBH1516

FURY / TEMPEST - SPARE JUG

NEW



SmartBlend

SMARTBLEND

BSB1680/C
VORTEX SCBLENDER WITH DIGITAL CONTROL, 2LT JUG & SOUND
PROOF COVER

SPECIFICATIONS

SMARTBLEND VORTEX SC 1680C
MODEL: 1.68KW, 220V, SINGLE PHASE
ELECTRICITY: 230 X 250 X 540MM HIGH (CLOSED)
DIMENSIONS: 230 X 250 X 790MM HIGH (OPEN)
9KG
WEIGHT: 32 000RPM - TOUCH CONTROL
SPEED: 2LT
JAR CAPACITY:



CULINARY BLENDERS

FEATURES

- Transparent lid and dosing cup gives the operator a clear view of when to stop blending
- Ergonomic comfort handles
- 4LT, heavy-duty, brushed S/Steel container built for long-lasting performance in the world's busiest kitchens
- Temperature gauge helps prevent overheating
- Custom programs provides automation for signature recipes
- Weighted, die-cast aluminum base with non-skid feet for improved stability
- Heavy-duty lid locks
- Variable speed dial adjusts the speed for maximum control
- Preset timer buttons free up operators to perform other kitchen tasks

LIFETIME WARRANTY
ON BLADE AND MOTOR DRIVE COUPLING

3
YEAR
WARRANTY



4LT
HBC1100

SPECIFICATIONS

| | |
|--------------|--------------------------|
| JUG CAPACITY | : 4LT |
| MOTOR POWER | : 3.5HP - 230V - 50-60Hz |
| DIMENSIONS | : 226 X 378 X 481MM |
| WEIGHT | : 11KG |

FEATURES

- 3HP Motor (maximum output power) lets chefs puree soups, emulsify dressings, grind flours, and chop salsas & compotes
- Patented design keeps ingredients circulating through the blades to ensure that contents are well emulsified
- Adjustable speed dial offers chef variable speed options
- Unique one-touch chopping function thoroughly chops solid ingredients
- Temperature gauge alerts chef if motor overheats to help prevent unnecessary burnout
- Jar pad sensor helps prevent "wear & tear"

LIFETIME WARRANTY
ON BLADE AND MOTOR DRIVE COUPLING

3
YEAR
WARRANTY



1.8LT
FBH6000

SPECIFICATIONS

| | |
|--------------|------------------------|
| JUG CAPACITY | : 1.8LT |
| MOTOR POWER | : 3HP - 230V - 50-60Hz |
| DIMENSIONS | : 178 X 203 X 467MM |
| WEIGHT | : 6.4KG |

OTHER CODE

SPARE JUG
XFBH6001

CULINARY BLENDER

FEATURES

- Lid-Open Sensor - Prevents blending with lid removed
- Durable Metal Drive Coupling - Provides long-lasting performance for uninterrupted use
- Removable Jar Pad - For easy cleaning
- Sure Grip™ Feet - Holds blender securely on the countertop

2 YEAR WARRANTY

IMPROVED



S/STEEL 1.8LT CBH0500-R01

SPECIFICATIONS

| | |
|--------------|-------------------------------------|
| JUG CAPACITY | : 1.8LT |
| MOTOR POWER | : 2.4 HP - 220-240V - 50-60Hz, 6.5A |
| DIMENSIONS | : 190 X 210 X 515MM |
| WEIGHT | : 6.3KG |

BAR BLENDER

FEATURES

- QuietBlend™ technology and advanced Quiet Shield™ enclosure reduce noise to conversation level
- Select from over 100 pre-programmed cycles - custom programs also available
- Compact size - Quiet Shield™ opens to a maximum height of 56CM
- Wave-Action® System continually forces mixture down into the blades for smooth results
- Easy-to-remove Quiet Shield™ - built-in clips allow for quick removal of shield for faster cleanup
- Memory card slot for custom programming

3 YEAR WARRANTY

IMPROVED



LIFETIME WARRANTY ON BLADE AND MOTOR DRIVE COUPLING

ECLIPSE 2LT EBH0750-R01

SPECIFICATIONS

| | |
|--------------|----------------------------|
| JUG CAPACITY | : 2LT |
| MOTOR POWER | : 3HP - 220-240V - 50-60Hz |
| DIMENSIONS | : 216 X 286 X 470MM |
| WEIGHT | : 6.3KG |

OTHER ORDER CODES

SPARE JUG
XEBH0001 - 1.4LT
EBH0755 - 2LT



BAR BLENDERS

FEATURES

- Powerful precision blending with pulse action
- 3HP Motor with all-metal drive coupling
- Wave-Action® system provides super-smooth drink profile, every time
- Timer with automatic shut-off
- 2 Speeds plus pulse button
- Sure Grip™ feet prevent skidding



FURY 1.8LT FBH0550

SPECIFICATIONS

| | |
|--------------|----------------------------|
| JUG CAPACITY | : 1.8LT |
| MOTOR POWER | : 3HP - 220-240V - 50-60Hz |
| DIMENSIONS | : 178 X 203 X 457MM |
| WEIGHT | : 6.3KG |

OTHER ORDER CODES

SPARE JUG TBH1516

FEATURES

- WaveAction® system continually forces mixture down into the blades for smooth results
- 1.25LT (44 oz.) Container with easy-to-read measurement marks
- S/Steel Blades quickly cut through ice
- Durable 2 Speed - Toggle Switch. Easy to reach and control
- Lid-Open Sensor prevents blending with lid removed
- 1 Peak HP* Motor delivers smooth results



908 - PLASTIC JUG 1.25LT BBH0908-R01

SPECIFICATIONS

| | |
|--------------|--------------------------|
| JUG CAPACITY | : 1.3LT |
| MOTOR POWER | : 220-240V - 50-60Hz, 3A |
| DIMENSIONS | : 195 X 205 X 400MM |
| WEIGHT | : 3.68KG |

OTHER ORDER CODE

SPARE JUG XBBH9914



BAR BLENDERS

FEATURES

- Lid open and jar pad sensor - prevents blending if jar or lid is not on correctly
- Simple high, low, pulse controls for easy operation



- Durable and easy-to-use sealed switches ensure long life
- Perfect for a variety of cocktail & coffee shop applications

RIO - 1.4LT BBH4001

SPECIFICATIONS

| | |
|--------------|--|
| JUG CAPACITY | : 950ML (S/Steel jug) |
| MOTOR POWER | : 1.6 HP with pulse - 220-240V - 50-60Hz, 3.2A |
| DIMENSIONS | : 190 X 216 X 430MM |
| WEIGHT | : 4.7 KG |

FEATURES

- Lid-Open Sensor - Prevents blending with lid removed
- Triple-seal lid
- 1.4LT (48 oz.) Co-Polyester container. BPA free



- Protective brow. Directs drips away from controls
- Sealed switches, for durability and ease of use
- Adjustable timer. 0-40 seconds + continuous run for walkaway convenience

TANGO 1.4LT BBH2002-R01

SPECIFICATIONS

| | |
|--------------|------------------------------------|
| JUG CAPACITY | : 1.4LT |
| MOTOR POWER | : 2.4 peak HP - 220-240V - 50-60Hz |
| DIMENSIONS | : 195 X 205 X 400MM |
| WEIGHT | : 5.6 KG |

OTHER ORDER CODES

COMPLETE JUG FOR TANGO BLENDER (NEW) BBH3002-R01



FEATURES

- Multi function
- Two in one S/Steel cutting blade
- Industrial high speed motor

- Crushes ice in seconds
- Premium quality, transparent
- Precision technology



1.5LT BBSI200

SPECIFICATIONS

| | |
|--------------|---|
| JUG CAPACITY | : 1.5LT |
| MOTOR POWER | : 1200W - 3HP (2238W - Max motor power) |
| VOLTAGE | : 230V - 50Hz |
| DIMENSIONS | : 213 X 405 X 235 mm |
| WEIGHT | : 4.5kg |

OTHER ORDER CODES

SPARE JUG 1.5LT BBSI201

FEATURES

- Modern design ABS housing with an "unbreakable" food grade Polycarbonate jar
- Various speed control, time and pulse action
- Removable dosing cup and stir bar included
- Industrial grade, heavy duty motor with pure copper coil
- VORTEX SC fitted with a Polycarbonate soundproof cover as standard (Optional extra for the VORTEX)
- Fitted with a stainless steel blade assembly
- Fitted with an over-heat, auto shut-off safety function
- Housing fitted with non-slip feet



VORTEX SC (WITH SOUND COVER)

SPECIFICATIONS

| | |
|--------------|--|
| MODEL | SmartBlend VORTEX SC 1680C |
| ELECTRICITY | 1.68kW, 220V, Single Phase |
| DIMENSIONS | 230 x 250 x 540mm high (closed) 230 x 250 x 790mm high (open) |
| WEIGHT | 9kg |
| SPEED | 32 000rpm - Touch control |
| JAR CAPACITY | 2Lt |
| ORDER CODE | BSB1680C/C |



VORTEX

SPECIFICATIONS

| | |
|--------------|----------------------------|
| MODEL | SmartBlend VORTEX 1680 |
| ELECTRICITY | 1.68kW, 220V, Single Phase |
| DIMENSIONS | 230 x 250 x 520mm high |
| WEIGHT | 6kg |
| SPEED | 32 000rpm - Analog control |
| JAR CAPACITY | 2Lt |
| ORDER CODE | BSB1680 |



STORM

SPECIFICATIONS

| | |
|--------------|----------------------------|
| MODEL | SmartBlend STORM 112 |
| ELECTRICITY | 1.1kW, 220V, Single Phase |
| DIMENSIONS | 225 x 210 x 490mm high |
| WEIGHT | 4kg |
| SPEED | 26 000rpm - Analog control |
| JAR CAPACITY | 2Lt |
| ORDER CODE | BSB0112 |

OPTIONAL EXTRAS



SOUND COVER

Compatible with VORTEX SC 1680C
VORTEX 1680

ORDER CODE **BSB1680-S/COVER**



2Lt JAR & TAMPER

Compatible with VORTEX SC 1680C
VORTEX 1680

ORDER CODE **BSB1680-JAR2L**

2Lt JAR & TAMPER

Compatible with STORM 112

ORDER CODE **BSB0112-JAR2L**