



RAFFA'S

CHAFING DISHES

RAFFAS.CO.ZA





5 REASONS WHY

- High quality buffetware since 1996
- Designed, engineered and manufactured through quality control
- Parts are repairable and replaceable
- Highest quality stainless steel material & exceeds all rigid quality standards
- Extensive references with prestigious clients



5 REASONS WHY

- Durable 18/10 Stainless Steel for long term use
- Long established brand with the latest innovations
- Highest quality and sophisticated design
- Provider of professional equipment for hotels and the catering industry
- Ensuring availability of replacement are our priority



5 REASONS WHY

- Established brand since 2009
- Extensive range of value products
- Solutions for front and back of house
- Products for the everyday rigor of a commercial kitchen
- Continuous improvement and expansion of the range



5 REASONS WHY

- 30 years of experience in buffetware and servingware
- High-quality materials
- Food safety
- High durability
- Stackability



5 REASONS WHY

- Trusted quality and value
- A wide variety of options
- Products that offer confidence to any establishment
- Functional products with modern designs
- Continuous range expansion to meet changing needs

CHAFING DISHES

EURI



ROUND ROLL TOP

CRE0001

DIMENSIONS : 515 X 497 X 468MM
CAPACITY : 6.5LT



Warm



Dripless



Hydraulic motion



RECTANGULAR ROLL TOP

CDE0008

DIMENSIONS : 667 X 488 X 452MM
CAPACITY : 8LT



Warm



Dripless



Hydraulic motion

IBIS



ROUND ROLL TOP

CRI0002

DIMENSIONS : 515 X 518 X 470MM
CAPACITY : 6.5LT



Warm



Dripless



Hydraulic motion



Stackable



RECTANGULAR ROLL TOP

CDI0008

DIMENSIONS : 667 X 485 X 452MM
CAPACITY : 8LT



Warm



Dripless



Hydraulic motion



Stackable



STACKABLE UP TO 5 CHAFERS



STACKABLE UP TO 5 CHAFERS

Note

Euri and ibis heating elements - refer to page 342



EURI/IBIS ACCESSORIES



INSERT ROUND 1 DIV
IRP0388
 PORCELAIN
 DIMENSIONS : 388 X 66MM
 CAPACITY : 5LT



INSERT ROUND 2 DIV
IRP1388
 PORCELAIN
 DIMENSIONS : 388 X 70MM
 CAPACITY : 4LT



INSERT FULL
IFP1065
 PORCELAIN
 DIMENSIONS : 534 X 329 X 63MM
 CAPACITY : 7LT

IRP1328
 PORCELAIN
 DIMENSIONS : 328 X 70MM
 CAPACITY : 3.5LT



INSERT HALF
IHP0065
 PORCELAIN
 DIMENSIONS : 267 X 329 X 63MM
 CAPACITY : 4LT



INSERT THIRD
IPT0065
 PORCELAIN
 DIMENSIONS : 178 X 329 X 63MM
 CAPACITY : 2LT



INSERT ROUND
IRS0350
 S/STEEL
 DIMENSIONS : 383 X 66MM
 CAPACITY : 6.5LT



ELECTRIC HEATER PLATE
CDE0003
 DIGITAL CONTROLLER
 AND TEMP SENSOR
 DIMENSIONS : 235 X 200 X 37MM
 POWER : 230V - 50Hz - 470W



INSERT ROUND HALF
IRS1387
 S/STEEL
 DIMENSIONS : 385 X 68MM
 CAPACITY : 2.7LT

Note
 Compatible with oblong and round
 Roll top chaffing dishes

CHAFFER STACKING TROLLEY

FEATURES

- Stacks 5 chafers on each side in total 10 chafers



TROLLEY - IBIS
CST1001
 DIMENSIONS : 980 X 695 X 1546MM

STACKING TROLLEY PVC COVER IBIS
STC1000

Note
 Chafers not included



STACKABLE UP TO 5 CHAFERS

ROLL TOP CHAFING DISHES

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish
- Unit comes complete with S/Steel 65MM insert, water pan and holder for Global Chafing Fuel
- Clutch system prevents unexpected lid closure
- With water channel for CRI1002 only
- Ventilation holes reduce condensation
- Detachable cover for easy handling and cleaning
- Two way heating, fuel or heating element
- Water return - water channel on the lid directs condensation into the water pan

CLASSIC



ROUND
CRI1380 - 380MM



RECTANGULAR
CRI1002

Note

Use the Infiniti 'round' electric heating element which can easily be fitted to each chafer as an alternative to Global Chafing Fuel

CONTEMPORARY



ROUND
CRI0380 - 380MM



RECTANGULAR
CRI0001

Note

Use the Infiniti 'rectangular' electric heating element which can easily be fitted to each chafer as an alternative to Global Chafing Fuel

INSERTS FOR CHAFERS - ROUND



HALF
IIR1380
190 X 65MM - S/STEEL



FULL
IIR0330 - 330 x 65MM - S/STEEL
IIR0380 - 380 x 65MM - S/STEEL

Note

Gastronorm porcelain and S/Steel inserts fit Infiniti chafers perfectly

CHAFING DISH ELEMENTS

FEATURES

- Heating elements are available for the round and rectangular chafing dishes as well as the soup tureens



ROUND ELEMENT
CDB0004
550W



RECTANGULAR ELEMENT
CDB0003
600W



18/10

SOUP TUREENS

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish
- Unit comes complete with S/Steel insert, water pan and holder for Global Chafing Fuel
- Sleek and elegantly designed S/Steel handles
- Available with 'Contemporary' modern leg design in S/Steel finish or 'Classic' timeless leg design with chrome plated finish
- Soup tureen can be filled in the kitchen, then taken to the buffet
- Two way heating, fuel or heating element
- For best results, preheat tureen



CLASSIC 10LT
ST11010



CONTEMPORARY 10LT
ST10010

Note

Use the Infiniti electric heating element which can easily be fitted to each soup tureen as an alternative to Global Chafing Fuel

INDUCTION CHAFING DISHES



SQUARE WITH GLASS LID

CDS4000

CAPACITY : 5.5LT
COMPOSITION : S/STEEL
INSERT SIZE : GN2/3 INSERT
LID : GLASS PANEL

OTHER ORDER CODE

SQUARE STAND
CDS4001

Note

Stand sold separately



ROUND WITH GLASS LID

CDS4100

CAPACITY : 6LT
COMPOSITION : S/STEEL
INSERT SIZE : 380MM INSERT
LID : GLASS PANEL

OTHER ORDER CODE

ROUND STAND
CDS4101

Note

Stand sold separately



RECTANGULAR WITH GLASS LID

CDS4200

CAPACITY : 9LT
COMPOSITION : S/STEEL
INSERT SIZE : GN1/1 INSERT
LID : GLASS PANEL

OTHER ORDER CODE

RECTANGULAR STAND
CDS4201

Note

Stand sold separately



ROLLTOP CHAFING DISHES

GLASS LID

Polished finish. Roll back lid. Comes standard with burner holders and waterpan. Accommodates electric elements as well. Opens to 180°. Viewing glass lid to prevent heat loss when wanting to view contents. For best results use only Global Chafing Fuel - refer to pg 352 for order codes and sizes.



RECTANGULAR

CDS2001

CAPACITY : 8.5LT
DIMENSIONS : 660 X 480 X 420MM
INSERT SIZE : 495 X 295 X 65MM

OTHER ORDER CODES

RECTANGULAR ELEMENT CDB0003

Note

Element not included



ROUND

CDS2002

CAPACITY : 6.8LT
DIMENSIONS : 520MM Diameter
INSERT SIZE : 355 X 65MM

OTHER ORDER CODES

ROUND ELEMENT CDB0004

Note

Element not included

DELUXE

Durable quality for everyday use, suited for any buffet. Elegant, enhances the look of a buffet display. For best results use only Global Chafing Fuel - refer to pg 352 for order codes and sizes.



RECTANGULAR

CDS0007

CAPACITY : 7.5LT
DIMENSIONS : 630 X 360 X 400MM
INSERT SIZE : 530 X 315MM



ROUND

CDS0005

CAPACITY : 6.8LT
DIMENSIONS : 460MM Diameter
INSERT SIZE : 380MM

REGULAR

Polished finish. Roll back lid. Comes standard with burner holders. Opens to 180°. For best results use only Global Chafing Fuel - refer to pg 352 for order codes and sizes.



RECTANGULAR

CDS1006

CAPACITY : 7.5LT
DIMENSIONS : 630 X 370 X 400MM
INSERT SIZE : 530 X 325MM



ROUND

CDS1007

CAPACITY : 6.8LT
DIMENSIONS : 460MM Diameter
INSERT SIZE : 380MM

CHAFING DISHES

POLISHED S/STEEL

Comes standard with burner holders.
Create an elegant buffet setting with the mirror polished chafer.
Use only Global Chafing Fuel - refer to pg 352 for order codes and sizes.



RECTANGULAR

CDS1000

CAPACITY : 9LT
DIMENSION : 610 X 350 X 330MM
INSERT SIZE : 530 X 325MM



ROUND

CDS1001

CAPACITY : 3.7LT
DIMENSION : 330MM Diameter

S/STEEL - ROUND

Create an elegant buffet setting with this mirror polished chafer.
Comes standard with burner holders. Ideal for buffets - outside caterers.
Use only Global Chafing Fuel - refer below for order codes and sizes.



GLASS LID

CDS1004

CAPACITY : 3.7LT
DIMENSIONS : 350MM Diameter

SOUP STATION



9LT

CDS1003

CAPACITY : 9LT
DIMENSIONS : 300MM Diameter

CHAFING FUEL

FEATURES

- Global Chafing Fuel is the ideal heat source for the Infiniti Chafers
- Burning for over 2 ½ HR, depending on environment
- Global Chafing Fuel will not discolour the chafers as it burns with a clean blue flame
- Longer lasting, cleaner burning
- Spill resistant



CHAFING FUEL METHANOL

CFA0001
24 X 200G



BURNER HOLDER

CDB0002



CHAFING FUEL METHANOL

CFA0003
4 X 5LT

Note

For best results use only Global Chafing Fuel with Infiniti Chafers

CHAFING DISHES

INDUCTION SERIES

inoxserv

REMOVABLE LID WITH TRANSPARENT GLASS

- It provides a clear view of food, even when closed
- It is easy to open and it engages at various opening angles
- It is easy to remove for cleaning and storage
- The lid movement is controlled by a long-life damping hinge
- It provides a water internal recycle system around the lid edge



REMOVABLE LID



INDUCTION HEATING

HEAT SOURCES

- **Induction warmer** - Table top - Counter sunk - In stand
- **Electric heater** - In stand
- **Solid alcohol** - In stand



CAPSULATED BOTTOM

CAPSULATED BOTTOM

- Provides even heat distribution
- Minimises heat loss improving energy efficiency



*SHOWN WITH OPTIONAL STAND



*SHOWN WITH OPTIONAL STAND

CHAFING DISH WITH HYDRAULIC GLASS LID RECTANGULAR

SPECIFICATIONS

MODEL	Inoxserv Induction Series S60593
DIMENSIONS	580 x 440 x 330mm high
CAPACITY	8.5Lt
HEAT SOURCE	Induction warmer Heating element Chafing fuel
SUPPLIED WITH	(1x) 1/1GN pan - 65mm deep Serving spoon holder
ORDER CODE	BEI-S60593



*STAND AND HEAT SOURCE NOT INCLUDED

CHAFING DISH WITH HYDRAULIC GLASS LID SQUARE

SPECIFICATIONS

MODEL	Inoxserv Induction Series S60293
DIMENSIONS	400 x 440 x 320mm high
CAPACITY	4.8Lt
HEAT SOURCE	Induction warmer Heating element Chafing fuel
SUPPLIED WITH	(1x) 2/3 GN pan - 65mm deep Serving spoon holder
ORDER CODE	BEI-S60293



*STAND AND HEAT SOURCE NOT INCLUDED

STAND FOR CHAFING DISH - RECTANGULAR

SPECIFICATIONS

MODEL	Inoxserv Induction Series S60590
DIMENSIONS	565 x 330 x 155mm high
HEAT SOURCE	Induction warmer > ISC-BT-70T Heating element > BEI-S305T Chafing fuel
SUPPLIED WITH	(2x) Chafing fuel holders
ORDER CODE	BEI-S60590



*HEAT SOURCE NOT INCLUDED

STAND FOR CHAFING DISH - SQUARE

SPECIFICATIONS

MODEL	Inoxserv Induction Series S60290
DIMENSIONS	385 x 385 x 155mm high
HEAT SOURCE	Induction warmer > ISC-BT-70T Heating element > BEI-S305T Chafing fuel
SUPPLIED WITH	(1x) Chafing fuel holders
ORDER CODE	BEI-S60290



*HEAT SOURCE NOT INCLUDED

CHAFING DISHES INDUCTION SERIES

inoxserv



*SHOWN WITH OPTIONAL STAND

CHAFING DISH WITH HYDRAULIC GLASS LID ROUND

SPECIFICATIONS

MODEL	Inoxserv Induction Series S50293
DIMENSIONS	440 x 480 x 320mm high
CAPACITY	5Lt
HEAT SOURCE	Induction warmer Heating element Chafing fuel
SUPPLIED WITH	(1x) Round pan - 65mm deep Serving spoon holder
ORDER CODE	BEI-S50293

*STAND AND HEAT SOURCE NOT INCLUDED



*SHOWN WITH OPTIONAL STAND

SOUP STATION WITH HYDRAULIC GLASS LID

SPECIFICATIONS

MODEL	Inoxserv Induction Series S50288
DIMENSIONS	410 x 490 x 410mm high
CAPACITY	10Lt
HEAT SOURCE	Induction warmer Heating element Chafing fuel
SUPPLIED WITH	(1x) Round pan - 210mm deep Serving spoon holder
ORDER CODE	BEI-S50288

*STAND AND HEAT SOURCE NOT INCLUDED



STAND FOR CHAFING DISH - ROUND

SPECIFICATIONS

MODEL	Inoxserv Induction Series S50280
DIMENSIONS	300 x 300 x 155mm high
HEAT SOURCE	Induction warmer > ISC-BT-70T Heating element > BEI-S205T Chafing fuel
SUPPLIED WITH	(1x) Chafing fuel holders
ORDER CODE	BEI-S50290

*HEAT SOURCE NOT INCLUDED



STAND FOR BUFFET SOUP STATION

SPECIFICATIONS

MODEL	Inoxserv Induction Series S50290
DIMENSIONS	315 x 315 x 155mm high
HEAT SOURCE	Induction warmer > ISC-BT-70T Heating element > BEI-S205T Chafing fuel
SUPPLIED WITH	(1x) Chafing fuel holders
ORDER CODE	BEI-S50280

*HEAT SOURCE NOT INCLUDED



HEATING ELEMENT WITH CONTROLLER - 250mm

SPECIFICATIONS

MODEL	Inoxserv S305T
ELECTRICITY	0.38kW, 230V, Single Phase
DIMENSIONS	250 x 200mm
COMPATIBLE WITH	Oblong - BEI-S60590 Square - BEI-S60290

ORDER CODE **BEI-S305T**



HEATING ELEMENT WITH CONTROLLER - 175mm

SPECIFICATIONS

MODEL	Inoxserv S205T
ELECTRICITY	0.33kW, 230V, Single Phase
DIMENSIONS	175 x 200mm
COMPATIBLE WITH	Round - BEI-S50280 Soup Station - BEI-S50290

ORDER CODE **BEI-S205T**



CHAFING DISHES WINDOW / ECONOMIC SERIES

inoxserv



*HEAT SOURCE NOT INCLUDED

CHAFING DISH WITH SHOW WINDOW - RECTANGULAR SPECIFICATIONS

MODEL Innoxserv Show Window Series KS61363-2
DIMENSIONS 645 x 475 x 435mm high
CAPACITY 8.5Lt
HEAT SOURCE Chafing fuel
SUPPLIED WITH (1x) 1/1GN pan - 65mm deep
Stand
(2x) Chafing fuel holders

ORDER CODE **BEI-KS61363-2**



*HEAT SOURCE NOT INCLUDED

CHAFING DISH WITH SHOW WINDOW - ROUND SPECIFICATIONS

MODEL Innoxserv Show Window Series KS51363
DIMENSIONS Ø530 x 450mm high
CAPACITY 5Lt
HEAT SOURCE Chafing fuel
SUPPLIED WITH (1x) Round pan - 65mm deep
Stand
(1x) Chafing fuel holder

ORDER CODE **BEI-KS51363**



*HEAT SOURCE NOT INCLUDED

CHAFING DISH - RECTANGULAR SPECIFICATIONS

MODEL Innoxserv Economic Series AT61363-2
DIMENSIONS 645 x 475 x 435mm high
CAPACITY 8.5Lt
HEAT SOURCE Chafing fuel
SUPPLIED WITH (1x) 1/1GN pan - 65mm deep
Stand
(2x) Chafing fuel holders

ORDER CODE **BEI-AT61363-2**



*HEAT SOURCE NOT INCLUDED

CHAFING DISH - ROUND SPECIFICATIONS

MODEL Innoxserv Economic Series AT51363
DIMENSIONS Ø530 x 450mm high
CAPACITY 5Lt
HEAT SOURCE Chafing fuel
SUPPLIED WITH (1x) Round pan - 65mm deep
Stand
(1x) Chafing fuel holder

ORDER CODE **BEI-AT51363**



SOUP KETTLE SPECIFICATIONS

MODEL Innoxserv Economic Series AT51388
DIMENSIONS Ø330 x 330mm high
CAPACITY 9Lt
SUPPLIED WITH (1x) Round pan - 200mm deep

ORDER CODE **BEI-AT51388**

CHAFING DISHES ELECTRIC



FEATURES

- Users can control the water temperature in electric water pan by temperature control knob.
- The unit is equipped with an indicating light.
- Water line indicator to ensure the heating element is fully covered with water.

SPECIFICATIONS

MODEL ZCK100P
ELECTRICITY 0.9kW, 230V
CAPACITY (1x) 1/1GN x 100mm Pan

ORDER CODE

BEI-KS62160-1

CHAFING DISHES - PC COVER SERIES

FEATURES

- Stainless steel body
- Stainless steel pan
- Polycarbonate roll-top cover



NEUTRAL DISPLAY

SPECIFICATIONS

MODEL Inoxserv KS62160-1
DIMENSIONS 490 x 410 x 410mm high
PAN DIMENSIONS 475 x 270 x 60mm deep

ORDER CODE

BEI-KS62160-1



HEATED DISPLAY

SPECIFICATIONS

MODEL Inoxserv SK62160-1
ELECTRICITY 1kW, 230V, Single Phase
DIMENSIONS 490 x 410 x 410mm high
PAN DIMENSIONS 475 x 270 x 60mm deep

ORDER CODE

BEI-SK62160-1



COLD DISPLAY

SPECIFICATIONS

MODEL Inoxserv SC62140-1
DIMENSIONS 490 x 410 x 410mm high
PAN DIMENSIONS 475 x 270 x 40mm deep
SUPPLIED WITH (2x) Freezer packs

ORDER CODE

BEI-SC62140-1

FEATURES

- Manufactured from 0.8mm heavy duty stainless steel
- Rounded edges
- Anti-Jam system
- Reinforced corners



FULL INSERT SPECIFICATIONS

DIMENSIONS 325 x 530 x 20mm deep
CAPACITY 2.5Lt
ORDER CODE **GNF8020**

DIMENSIONS 325 x 530 x 55mm deep
CAPACITY 7.5Lt
ORDER CODE **GNF8055**

DIMENSIONS 325 x 530 x 65mm deep
CAPACITY 9Lt
ORDER CODE **GNF8065**



1/2 INSERT SPECIFICATIONS

DIMENSIONS 325 x 256 x 65mm deep
CAPACITY 4Lt
ORDER CODE **GNH8065**



2/3 INSERTS SPECIFICATIONS

DIMENSIONS 325 x 352 x 20mm deep
CAPACITY 1.5Lt
ORDER CODE **GN2T8020**

DIMENSIONS 325 x 352 x 65mm deep
CAPACITY 5.5Lt
ORDER CODE **GN2T8065**



1/3 INSERT SPECIFICATIONS

DIMENSIONS 325 x 176 x 40mm deep
CAPACITY 1.5Lt
ORDER CODE **GNT8040**

DIMENSIONS 325 x 176 x 65mm deep
CAPACITY 2.5Lt
ORDER CODE **GNT8065**

