



RAFFA'S

PIZZA OVENS

RAFFAS.CO.ZA



PIZZA OVENS

FEATURES

- 3 x Heating elements for accurate heat distribution
- 2 ceramic plates
- Suitable for fresh or frozen pizza
- Temp range 60°C - 400°C
- 15 min timer

2 YEAR WARRANTY



TWIN SHELF - SMALL

POA1001

SPECIFICATIONS

CAPACITY	: 2 Standard size pizzas - 300MM
VOLTAGE	: 230V
POWER	: 2.85kW
DIMENSIONS	: 588 X 645 X 468MM
CHAMBER DIMENSIONS	: 470 X 487 X 239MM
WEIGHT	: 38KG

FEATURES

- 2 x Ceramic plates - single deck
- Dial temperature gauge
- Dual thermostats for accurate control of top and bottom temperature
- Robust construction with high efficiency insulation

2 YEAR WARRANTY



SINGLE DECK

POA1120

SPECIFICATIONS

VOLTAGE	: 380V - 3 phase (N+E)
POWER	: 7.2kW
DIMENSIONS	: 890 X 430 X 1060MM
WEIGHT	: 80KG
MAX TEMPERATURE	: 500°C
CHAMBER DIMENSIONS	: 610 X 900 X 140MM

FEATURES

- Accurate control of conveyor speed
- Individual top and bottom temperatures
- Touch control panel prevents accidental adjustment
- 350MM wide conveyor makes this oven extremely flexible and ideal for pizzas or sub sandwiches
- Variable individual heat controls and adjustable conveyor speed allows the user to bake a range of different products
- Compact in size and stackable allows for maximum use of working space
- Reversible conveyor

2 YEAR WARRANTY



DIGITAL CONVEYOR

POA2001

SPECIFICATIONS

VOLTAGE	: 230V - 2 phase - 50Hz (N+E)
POWER	: 6.7kW
DIMENSIONS	: 1499 X 674 X 436MM
CONVEYOR WIDTH	: 350MM
WEIGHT	: 46KG
MAX TEMPERATURE	: 300°C

ONE OVEN FOR PIZZA AND ARTISAN BREADS

FEATURES

- Robust stainless steel construction
- Bottom hinged doors for easy loading
- Additional internal height for baking
- Ceramic base for pizza and artisan breads
- Expanded glass viewing window on oven door
- Top and bottom element controlled individually
- Fitted with a dial thermostat
- Compatible with 600 x 400mm baking trays



DOUBLE DECK OVEN - 4 TRAY

SPECIFICATIONS

MODEL Prismafood Trays 66L
 ELECTRICITY 20.4kW, 380V, 3 Phase + N
 DIMENSIONS 1500 x 1080 x 745mm high
 WEIGHT 225kg
 CHAMBER DIMENSIONS (2x) 1230 x 840 x 175mm high
 CHAMBER CAPACITY (4x) 600 x 400mm trays
 (6x) 40cm Pizzas
 TEMP RANGE 50 to 500°C

ORDER CODE **DOP0066**



DOUBLE DECK OVEN - 2 TRAY

SPECIFICATIONS

MODEL Prismafood Trays 44
 ELECTRICITY 14kW, 380V, 3 Phase + N
 DIMENSIONS 1100 x 1080 x 745mm high
 WEIGHT 172kg
 CHAMBER DIMENSIONS (2x) 820 x 840 x 175mm high
 CHAMBER CAPACITY (2x) 600 x 400mm trays
 (4x) 40cm Pizzas
 TEMP RANGE 50 to 500°C

ORDER CODE **DOP0044**



DIAL THERMOSTAT



CERAMIC STONE BASE

PIZZA / DECK OVENS OPTIONAL EXTRAS



STANDS

SPECIFICATIONS

MODEL Prismafood ST 66
 DIMENSIONS 1520 x 982 x 960mm high
 WEIGHT 44kg
 COMPATIBLE WITH DOP0066

ORDER CODE SDP0066



SPECIFICATIONS

MODEL Prismafood ST 44
 DIMENSIONS 1117 x 982 x 960mm high
 WEIGHT 39kg
 COMPATIBLE WITH DOP0044

ORDER CODE SDP0044



HOODS

SPECIFICATIONS

MODEL Prismafood KT6L-66L
 DIMENSIONS 1500 x 1115 x 120mm high
 WEIGHT 18kg
 COMPATIBLE WITH DOP0066

ORDER CODE HDP0066



ELECTRIC PIZZA OVENS TABLE MODEL

SmartChef

FEATURES

- Robust construction
- Internal chamber lighting
- Fitted with a glass viewing windows
- Each deck fitted with a heat gauge
- Top and bottom element is individually controlled
- Fitted with a bottom hinged doors for easy loading
- Supplied with a ceramic pizza stone base
- Fitted with (4x) non-slip rubber feet



DOUBLE DECK SPECIFICATIONS

MODEL SmartChef HEP-2
ELECTRICITY 8.4kW, 380V, 3 Phase + N
DIMENSIONS 890 x 790 x 750mm high
WEIGHT 90kg
CHAMBER DIMENSIONS (2x) 610 x 610 x 170mm high
CHAMBER CAPACITY (4x) 30cm Pizzas per deck
TEMP RANGE 50 to 400°C

ORDER CODE

POS2408



SINGLE DECK SPECIFICATIONS

MODEL SmartChef HEP-1
ELECTRICITY 4.2kW, 380V, 3 Phase + N
DIMENSIONS 890 x 790 x 430mm high
WEIGHT 52kg
CHAMBER DIMENSIONS (1x) 610 x 610 x 170mm high
CHAMBER CAPACITY (4x) 30cm Pizzas per deck
TEMP RANGE 50 to 400°C

ORDER CODE

POS1404



TEMPERATURE CONTROLLER AND HEAT GAUGE



EACH DECK FITTED WITH A CERAMIC PIZZA STONE BASE



INDIVIDUALLY CONTROLLED TOP AND BOTTOM ELEMENTS

ELECTRIC PIZZA OVENS TABLE MODEL

FEATURES

- Body manufactured from stainless steel
- Internal chamber lighting
- Fitted with a glass viewing window
- Fitted with (4x) non-slip rubber feet
- Top and bottom element is individually controlled
- Fitted with a bottom hinged door for easy loading
- Supplied with a pizza stone base



DOUBLE DECK SPECIFICATIONS

MODEL	SmartChef HEP-2ST
ELECTRICITY	3kW, 240V, Single Phase
DIMENSIONS	560 x 570 x 440mm high
WEIGHT	27kg
CHAMBER DIMENSIONS	(2x) 400 x 400 x 155mm high
CHAMBER CAPACITY	(1x) 30cm Pizza
TEMP RANGE	50 to 350°C

ORDER CODE

POS2102



SINGLE DECK SPECIFICATIONS

MODEL	SmartChef HEP-1ST
ELECTRICITY	2kW, 240V, Single Phase
DIMENSIONS	560 x 570 x 280mm high
WEIGHT	18kg
CHAMBER DIMENSIONS	(1x) 400 x 400 x 155mm high
CHAMBER CAPACITY	(1x) 30cm Pizza
TEMP RANGE	50 to 350°C

ORDER CODE

POS1101



MANUAL TEMPERATURE
AND TIMER CONTROLS



FITTED WITH
NON-SLIP FEET



INDIVIDUALLY CONTROLLED
TOP AND BOTTOM ELEMENTS

ELECTRIC PIZZA OVENS TABLE MODEL



FEATURES

- Body manufactured from stainless steel
- Refractory stone cooking surface
- Rockwool insulation
- Sheathed heating elements
- The internal lighting
- Fitted with (4x) non-slip rubber feet

DOUBLE DECK

SPECIFICATIONS

MODEL	Prismafood Basic 2/40 VERTO 4T
ELECTRICITY	2.4kW, 230V, Single Phase
DIMENSIONS	568 x 500 x 430mm
WEIGHT	32kg
CHAMBER DIMENSIONS	(2x) 410 x 360 x 90mm
CHAMBER CAPACITY	(1x) 30cm Pizza
TEMP RANGE	40 to 320°C

ORDER CODE:

POP0240



SINGLE DECK

SPECIFICATIONS

MODEL	Prismafood Basic 1/40 VERTO 2T
ELECTRICITY	1.6kW, 230V, Single Phase
DIMENSIONS	568 x 500 x 280mm
WEIGHT	21kg
CHAMBER DIMENSIONS	(1x) 410 x 360 x 90mm
CHAMBER CAPACITY	(1x) 30cm Pizza
TEMP RANGE	40 to 320°C

ORDER CODE:

POP0140

