



RAFFA'S

TOASTERS

RAFFAS.CO.ZA



EQUIPMENT

TOASTERS

avenia

AVENIA

TSK0004

TOASTER - 4 SLICE

SPECIFICATIONS

POWER: 2.24KW - WITH TIMER

VOLTAGE: 230V

DIMENSIONS: 370 X 210 X 225MM

WEIGHT: 4KG



avenia

AVENIA

TSK0006

TOASTER - 6 SLICE

SPECIFICATIONS

POWER: 3.2KW - WITH TIMER

VOLTAGE: 230V

DIMENSIONS: 460 X 210 X 225MM

WEIGHT: 6KG



SmartChef

SMART CHEF

TLS0006

TOASTER 6 SLICE

SPECIFICATIONS

MODEL: SMARTCHEF HET - 6

ELECTRICITY: 3.2KW, 230V, SINGLE PHASE

DIMENSIONS: 460 X 210 X 225MM HIGH

WEIGHT: 7KG

CAPACITY: 3/6 SLICES



Dualit

DUALIT

TSD0006

TOASTER DUALIT - 6 SLICE

SPECIFICATIONS

OUTPUT: APPROXIMATELY 200 SLICES / HR

POWER: 3KW - WITH TIMER

VOLTAGE: 230V

DIMENSIONS: 460 X 220 X 220MM

WEIGHT: 6KG

CAPACITY: 2, 4 OR 6 SLICES



EQUIPMENT

TOASTERS

ANVIL

2 YEAR



ANVIL

TSA9009

TOASTER ANVIL - 9 SLICE
PANINI TOP & BOTTOM

SPECIFICATIONS

POWER: 2.15KW
VOLTAGE: 230V
COOKING SURFACE: 330 X 355MM
DIMENSIONS: 335 X 466 X 327MM
WEIGHT: 14KG

ANVIL

2 YEAR



ANVIL

TSA5009

TOASTER ANVIL - 9 SLICE
PANINI DELUXE - NON STICK

SPECIFICATIONS

POWER: 1.97KW
VOLTAGE: 230V
COOKING SURFACE: 330 X 355MM
DIMENSIONS: 335 X 466 X 327MM
WEIGHT: 11KG

ANVIL

2 YEAR



ANVIL

TSA1009

TOASTER ANVIL - 9 SLICE - FLAT PLATE

SPECIFICATIONS

POWER: 2.15KW
VOLTAGE: 230V
COOKING SURFACE: 330 X 355MM
DIMENSIONS: 335 X 466 X 327MM
WEIGHT: 11KG

(TOASTER AND COVER SOLD SEPARATELY)

SmartChef

SMART CHEF

STS0009

STANDARD PLATES

SPECIFICATIONS

MODEL: SMARTCHEF HT - 01
ELECTRICITY: 2.2KW, 230V, SINGLE PHASE
DIMENSIONS: 540 X 400 X 290MM HIGH
WEIGHT: 8KG
COOKING SURFACE: 353 X 330MM
TEMPERATURE RANGE: 50°C - 300°C



TCT0001

TEFLON COVER FOR 9 SLICE TOASTERS

TCT0001

TEFLON COVER

ANVIL

2 YEAR



ANVIL

TSA2009

TOASTER ANVIL - 9 SLICE - FLAT

SPECIFICATIONS

POWER: 2.15KW
VOLTAGE: 230V
COOKING SURFACE: 330 X 355MM
DIMENSIONS: 355 X 466 X 327MM
WEIGHT: 11KG

SmartChef

SMART CHEF

STS1009

NON - STICK PLATES

SPECIFICATIONS

MODEL: SMARTCHEF HT - 01
ELECTRICITY: 2.2KW, 230V, SINGLE PHASE
DIMENSIONS: 540 X 400 X 290MM HIGH
WEIGHT: 8KG
COOKING SURFACE: 353 X 330MM
TEMPERATURE RANGE: 50°C - 300



TCT0001

TEFLON COVER

TOASTERS - FLAT PLATE

FEATURES

- Optimally balanced heat to ensure even toasting on top and bottom*
- Certified cooking grade cast aluminium plates
- Adjustable top plate for a variety of product thicknesses
- Detachable drip cup to collect excess fat

- Mechanically tested durable handle assembly
- Insulated hand grip
- Operating temperature range: 50°C - 300°C

*Unit tested under controlled conditions. Variables may affect the outcome

2 YEAR



9 SLICE TSA1009

SPECIFICATIONS

POWER	: 2.15kW
VOLTAGE	: 230V
COOKING SURFACE	: 330 X 355MM
DIMENSIONS	: 355 X 466 X 327MM
WEIGHT	: 11KG

OTHER ORDER CODES TEFLON COVER TCT0001

Note

Toaster cover sold separately

FEATURES

- Certified food safe Teflon coating
- Optimally balanced heat to ensure even toasting on top and bottom*
- Adjustable top plate for a variety of food thicknesses

- Mechanically tested durable handle assembly
- Insulated hand grip
- Operating temperature range: 50°C- 240°C

*Unit tested under controlled conditions. Variables may affect the outcome

2 YEAR



9 SLICE NON-STICK PLATES TSA2009

SPECIFICATIONS

POWER	: 2.15kW
VOLTAGE	: 230V
COOKING SURFACE	: 330 X 355MM
DIMENSIONS	: 355 X 466 X 327MM
WEIGHT	: 11KG

TOASTER - COVER

TEFLON COVER FOR 9 SLICE TOASTERS TCT0001

FEATURES

- Non Stick Teflon Toaster Cover
- Maximum operating temperature 240°C
- Dishwasher safe



TOASTERS - PANINI

FEATURES

- Ribbed top and bottom plates
- Optimally balanced heat to ensure even toasting on top and bottom*
- Certified cooking grade cast aluminium plates

- Adjustable top plate for a variety of food thicknesses
- Insulated hand grip
- Operating temperature range: 50°C - 300°C

*Unit tested under controlled conditions. Variables may affect the outcome

2 YEAR



9 SLICE - TOP & BOTTOM TSA9009

SPECIFICATIONS

POWER	: 2.15kW
VOLTAGE	: 230V
COOKING SURFACE	: 330 X 355MM
DIMENSIONS	: 355 X 466 X 327MM
WEIGHT	: 11KG

FEATURES

- Certified food safe Teflon coating
- Optimally balanced heat to ensure even toasting on top and bottom*
- Adjustable top plate for a variety of product thicknesses
- Ribbed top and flat bottom for a more sophisticated sandwich presentation

- Independent plate control enables operator to use as a flat top only, while the top plate is switched off
- Insulated hand grip
- Operating temperature range: 50°C - 240°C

*Unit tested under controlled conditions. Variables may affect the outcome

2 YEAR



9 SLICE - DELUXE - NON-STICK TSA5009

SPECIFICATIONS

POWER	: 1.97kW
VOLTAGE	: 230V
COOKING SURFACE	: 330 X 355MM
DIMENSIONS	: 355 X 466 X 327MM
WEIGHT	: 11KG

PANINI GRILL

FEATURES

- Thermostatically controlled between 50°C - 300°C
- Heavy duty cast iron plates

- Self balancing upper grill plate
- Removable fat tray

2 YEAR



CAST IRON PGT0001

SPECIFICATIONS

POWER	: 2.6kW
VOLTAGE	: 230V
DIMENSIONS	: 410 X 378 X 205MM
WEIGHT	: 20.5KG

TOASTER - PANINI - GAS

FEATURES

- Perfect for outside catering needs like food trucks or when the electricity supply is limited
- Adjustable top plate for a variety of food thicknesses

- Heat resistant handle
- Ribbed top and bottom die-cast aluminium plate



9 SLICE TSA9209

SPECIFICATIONS	
POWER OUTPUT	: 6000 BTU
DIMENSIONS	: 355 X 466 X 327MM
WEIGHT	: 14KG
COOKING SURFACE	: 330 X 355MM
REGULATOR	: Yes
AVAILABLE IN	: LPG & NG (NG on request only)



2 YEAR

NEW



TOASTER/GRILLER

FEATURES

- Unit designed to function in the rigorous and demanding environment of busy kitchens in the hospitality industry
- Operating temperature range of 50°C to 250°C
- Large area, heavy duty, 8MM thick steel cooking and toasting plate for effective heat distribution and retention

- Neutrally balanced top plate with positive latching mechanism.
- Full width removable fat/crumb tray
- To conserve energy, keep the unit on with the top plate closed when not in use




HEAVY DUTY FTH001

SPECIFICATIONS	
POWER	: 3.4kW
VOLTAGE	: 230V
COOKING SURFACE	: 530 X 290MM
DIMENSIONS	: 553 X 347 X 555MM
WEIGHT	: 37KG

OTHER ORDER CODES
TOASTER SHEET - TEFLON
FTH1001

2 YEAR

NEW



CONVEYOR TOASTERS

FEATURES

- This compact unit is ideal for breakfast buffets in hotels and restaurants
- Variable conveyor speed with toast and bun heat settings
- Individual heat controls for top and bottom elements
- Unit can be set for front or rear service



2 YEAR



300 SLICES/HR CTK2001

SPECIFICATIONS	
POWER	: 2.6kW
VOLTAGE	: 230V
DIMENSIONS:	: 354 X 769 X 428MM
WEIGHT	: 16KG
CAPACITY	: Approx. 300 slices/HR

2 YEAR



450 SLICES/HR - WIDE MOUTH CTK2002

SPECIFICATIONS	
POWER	: 2.6kW
VOLTAGE	: 230V
DIMENSIONS	: 474 X 769 X 428MM
WEIGHT	: 21KG
CAPACITY	: Approx. 450 slices/HR

VERTICAL BUN TOASTER

FEATURES

- Single conveyor feed
- Large surface area heating plate
- Insulated heating plate
- Fast conveyor speed
- Stepped plate design (heel and crown)

- Adjustable plate depth for bun thickness
- 22 Buns per min @ 70°C core
- 25-Second throughput
- Energy consumption, 0.4 kW/HR
- Dedicated, marked heel and crown entry

2 YEAR



SINGLE SLOT VTA0101

SPECIFICATIONS	
POWER	: 2.2kW
VOLTAGE	: 230V
DIMENSIONS	: 702 X 327 X 568MM
OUTPUT	: 22 buns per MIN
	: 1020 buns/HR
WEIGHT	: 28KG

OTHER ORDER CODES
VERTICAL TOASTER ANVIL
TEFLON SHEET
XVTA0102
480 X 430MM



MANUAL LIFT TOASTERS

FEATURES

- Fitted with a removable crumb tray
- Timer with audible bell
- S/Steel construction



- Manual lift
- Rocker switch to conserve energy

4 SLICE TSK0004

SPECIFICATIONS	
POWER	: 2.24kW
VOLTAGE	: 230V
DIMENSIONS	: 370 X 210 X 225MM
WEIGHT	: 4KG
CAPACITY	: Up to 4 slices



6 SLICE TSK0006

SPECIFICATIONS	
POWER	: 3.24KW
VOLTAGE	: 230V
DIMENSIONS	: 460 X 210 X 225MM
WEIGHT	: 6KG
CAPACITY	: Up to 6 slices

avenia

FEATURES

- Selector control for choosing two, four or all six slots
- Handmade in the UK
- Mechanical timer



- Manually operated eject lever to keep items warm until needed
- Built for commercial use

6 SLICE TSD0006

SPECIFICATIONS	
OUTPUT	: Approx 240 slices/HR
POWER	: 3kW
VOLTAGE	: 220V
DIMENSIONS	: 460 X 210 X 220MM
WEIGHT	: 5.1KG
CAPACITY	: Up to 6 slices

Dualit

SAUCE WARMER - DIP - A - LAIT

FEATURES

- For ice cream dips, chocolate, caramel sauces and even gravies
- Includes 2 inserts (2 x 2LT)

- Dry heat
- Variable heat control



2 DIVISION DLA0002

SPECIFICATIONS	
CAPACITY	: 4LT
POWER	: 0.125kW
VOLTAGE	: 230V
DIMENSIONS	: 340 X 247 X 307MM
WEIGHT	: 4KG

ANVIL

WAFFLE BAKERS

FEATURES

- Thermostat inside the unit is pre-set at 200°C. The timer function can be used to bake the waffles to the required finish
- Double plate units can be independently operated, saving money through energy efficiency

2 YEAR



1 PLATE WBA0001

SPECIFICATIONS	
POWER	: 0.8kW
VOLTAGE	: 230V
PLATE DIAMETER	: 185MM
DIMENSIONS	: 255 X 370 X 260MM
WEIGHT	: 7KG

2 YEAR



2 PLATE WBA0002

SPECIFICATIONS	
POWER	: 1.6kW
VOLTAGE	: 230V
PLATE DIAMETER	: 185MM each
DIMENSIONS	: 510 X 370 X 260MM
WEIGHT	: 14KG

WAFFLE BAKERS - BELGIAN

FEATURES

- Anvil's Belgian style waffle bakers are ideally suited for use in kitchens, coffee shops, outdoor markets and ice cream parlours
- Units are fitted with a digital programmable control for heat and time settings
- Audible alarm on completion of the programmed time
- Teflon coated top and bottom

2 YEAR



1 PLATE WBA1001

SPECIFICATIONS	
POWER	: 1.0kW
VOLTAGE	: 230V
PLATE DIAMETER	: 190MM
DIMENSIONS	: 255 X 440 X 290MM
WEIGHT	: 11KG

2 YEAR



2 PLATE WBA1002

SPECIFICATIONS	
POWER	: 2.0kW
VOLTAGE	: 230V
PLATE DIAMETER	: 190MM each
DIMENSIONS	: 520 X 440 X 290MM
WEIGHT	: 22KG

ANVIL

FEATURES

- Robust construction
- Drip tray to catch excess fat
- Fitted with a heat resistant handle
- Adjustable top plate for a variety of product thickness
- Available in standard & non-stick plate models
- Fitted with (4x) non-slip feet



STANDARD PLATES

SPECIFICATIONS

MODEL	SmartChef HT-01
ELECTRICITY	2.2kW, 230V, Single Phase
DIMENSIONS	540 x 400 x 290mm high
WEIGHT	8kg
COOKING SURFACE	353 x 330mm
TEMP RANGE	50 to 300°C

ORDER CODE STS0009



NON-STICK PLATES

SPECIFICATIONS

MODEL	SmartChef HT-01
ELECTRICITY	2.2kW, 230V, Single Phase
DIMENSIONS	540 x 400 x 290mm high
WEIGHT	8kg
COOKING SURFACE	353 x 330mm
TEMP RANGE	50 to 300°C

ORDER CODE STS1009

OPTIONAL EXTRAS

Teflon cover

TCT0001



FEATURES

- Stainless steel construction
- Standby / bread / roll settings available
- Perfect for self-service application
- Fitted with (4x) device leveling legs
- Various conveyor speed settings
- Can be set to pass through or return to front operation
- Individual heat controls for top and bottom elements



450 SLICE WIDE BELT

SPECIFICATIONS

MODEL	SmartChef TT-450
ELECTRICITY	2.6kW, 230V, Single Phase
DIMENSIONS	470 x 420 x 400mm high
WEIGHT	18kg
CAPACITY	450 to 500 slices per hour

ORDER CODE CTS0450



300 SLICE

SPECIFICATIONS

MODEL	SmartChef TT-300
ELECTRICITY	1.94kW, 230V, Single Phase
DIMENSIONS	350 x 420 x 400mm high
WEIGHT	14kg
CAPACITY	300 to 350 slices per hour

ORDER CODE CTS0300

6 SLICE TOASTERS



FEATURES

- Stainless steel construction
- Fitted with a timer
- 3 or 6 slot operation can be chosen
- Fitted with (4x) non-slip feet

SPECIFICATIONS

MODEL	SmartChef HET-6
ELECTRICITY	3.2kW, 230V, Single Phase
DIMENSIONS	460 x 210 x 225mm high
WEIGHT	7kg
CAPACITY	3/6 slices

ORDER CODE TLS0006

