



**RAFFA'S**

**CHARCOAL OVENS**

**RAFFAS.CO.ZA**





## FEATURES

- Oven body manufactured from stainless steel
- Oven body is insulated
- Oven fitted with hood
- Oven fitted with removable ash drawer for easy cleaning
- Door bottom hinged for easy loading
- Fitted with dial thermometer
- Available in red (on special request)

## 890mm OVEN

### SPECIFICATIONS

MODEL	Empero EMP.PKF-50-S
DIMENSIONS	890 x 825 x 648mm high (Hood + 646mm high)
WEIGHT	190kg
GRILL RACK DIMENSIONS	740 x 650mm
CAPACITY	20kg meat per hour
WORKING TEMPERATURE	250 to 500°C

CHARCOAL BLACK  
FIRE RED

**EMP.PKF-50-S**  
**EMP.PKF-50-K**



## COLOUR OPTIONS



CHARCOAL BLACK



FIRE RED

## 710mm OVEN

### SPECIFICATIONS

MODEL	Empero EMP.PKF-40-S
DIMENSIONS	710 x 730 x 666mm high (Hood + 646mm high)
WEIGHT	160kg
GRILL RACK DIMENSIONS	560 x 524mm
CAPACITY	20kg meat per hour
WORKING TEMPERATURE	250 to 500°C

CHARCOAL BLACK  
FIRE RED

**EMP.PKF-40-S**  
**EMP.PKF-40-K**



SHOWN WITH OPTIONAL CABINET & TOP GRILL



# PROFESSIONAL CHARCOAL OVENS

## OPTIONAL EXTRAS



**890mm**

### SPECIFICATIONS

DIMENSIONS  
WEIGHT

890 x 825 x 825mm high  
73kg

ORDER CODE

EMP.PKF-50-D



## CABINET

### FEATURES

- Oven cabinet manufactured from stainless steel
- Fitted with robust castors

**710mm**

### SPECIFICATIONS

DIMENSIONS  
WEIGHT

710 x 725 x 825mm high  
63kg

ORDER CODE

EMP.PKF-40-D



**890mm**

### SPECIFICATIONS

DIMENSIONS  
WEIGHT

890 x 825 x 825mm high  
78kg

ORDER CODE

EMP.PKF-50-AS



## STAND

### FEATURES

- Oven Stand manufactured from painted mild steel
- Fitted with 2 shelves
- Fitted with 4 robust castors

**710mm**

### SPECIFICATIONS

DIMENSIONS  
WEIGHT

710 x 725 x 825mm high  
60kg

ORDER CODE

EMP.PKF-40-AS



**890mm**

### SPECIFICATIONS

DIMENSIONS  
WEIGHT

890 x 825 x 210mm high  
43kg

ORDER CODE

EMP.PKF-50-US



## TOP GRID

### FEATURES

- Manufactured from high quality stainless steel
- Supplied with 2 grids

**710mm**

### SPECIFICATIONS

DIMENSIONS  
WEIGHT

710 x 725 x 210mm high  
33kg

ORDER CODE

EMP.PKF-40-US

