



RAFFA'S

FRIDGES & FREEZERS

RAFFAS.CO.ZA



REFRIGERATOR AND FREEZER - S/STEEL

The Salvadore range of commercial upright refrigerators and freezers are vital for any restaurant, bakery, catering business or other foodservice establishments. Use our Salvadore upright refrigerators to keep items like meat, vegetables, fruits and garnishes fresh and within reach. Our Salvadore upright freezers will keep your ice cream and any other products frozen until they are ready to be used. Our units are available with solid doors for ease of cleaning and provides for good insulation.

FEATURES

- High density insulation
- Grade 304 S/Steel construction
- GN2/1 shelf size
- GN pan or wire shelf uses same rails
- Rounded internal corners for easy cleaning
- Self-closing doors with lock
- Digital controller with constant digital display
- European compressors and fans
- Lockable castors



COMMERCIAL REFRIGERATOR SINGLE DOOR

CKR0830-R02

SPECIFICATIONS

CAPACITY	: 580LT
NUMBER OF DOORS	: 1
SHELVES PER DOOR	: 3
TEMPERATURE RANGE	: 0°C to +10°C
REFRIGERANT	: R134a
VOLTAGE	: 230V - 50Hz
INTERIOR DIMENSION	: 588 X 682 X 1395MM
OUTSIDE DIMENSIONS	: 738 X 818 X 1980MM
WEIGHT	: 118KG



COMMERCIAL FREEZER SINGLE DOOR

CKF0830-R02

SPECIFICATIONS

CAPACITY	: 580LT
NUMBER OF DOORS	: 1
SHELVES PER DOOR	: 3
TEMPERATURE RANGE	: -10°C to -22°C
REFRIGERANT	: R404a
VOLTAGE	: 230V - 50Hz
INTERIOR DIMENSIONS	: 588 X 682 X 1395MM
OUTSIDE DIMENSIONS	: 738 X 818 X 1980MM
WEIGHT	: 122KG



REFRIGERATOR AND FREEZER - S/STEEL

**COMMERCIAL REFRIGERATOR
DOUBLE DOOR****CKR1480-R02****SPECIFICATIONS**

CAPACITY	: 1200LT
NUMBER OF DOORS	: 2
SHELVES PER DOOR	: 3
TEMPERATURE RANGE	: 0°C to +10°C
REFRIGERANT	: R134a
VOLTAGE	: 230V - 50Hz
INTERIOR DIMENSIONS	: 1275 X 682 X 1395MM
OUTSIDE DIMENSIONS	: 1425 X 818 X 1980MM
WEIGHT	: 181KG

**COMMERCIAL FREEZER
DOUBLE DOOR****CKF1480-R02****SPECIFICATIONS**

CAPACITY	: 1200LT
NUMBER OF DOORS	: 2
SHELVES PER DOOR	: 3
TEMPERATURE RANGE	: -10°C to -22°C
REFRIGERANT	: R404a
VOLTAGE	: 230V - 50Hz
INTERIOR DIMENSIONS	: 1275 X 682 X 1395MM
OUTSIDE DIMENSIONS	: 1425 X 818 X 1980MM
WEIGHT	: 197KG

UNDERCOUNTER - REFRIGERATOR AND FREEZER - S/STEEL

**STORAGE REFRIGERATOR
USR0200**

200LT - 598 x 623 x 838MM

SPECIFICATIONS

CAPACITY	: 200LT
NUMBER OF DOORS	: 1
TEMPERATURE RANGE	: +0°C to +8°C
REFRIGERANT	: R600A
VOLTAGE	: 220/240V
INTERIOR DIMENSIONS	: 477 x 443 x 652MM
OUTSIDE DIMENSIONS	: 598 x 623 x 838MM
RATED POWER	: 56W
WEIGHT	: 43KG

**STORAGE FREEZER
USF0200**

200LT - 598 x 623 x 838MM

SPECIFICATIONS

CAPACITY	: 200LT
NUMBER OF DOORS	: 1
TEMPERATURE RANGE	: -23°C to -18°C
REFRIGERANT	: R600A
VOLTAGE	: 220/240V
INTERIOR DIMENSIONS	: 493 X 478 X 635MM
OUTSIDE DIMENSIONS	: 598 x 623 x 838MM
RATED POWER	: 80W
WEIGHT	: 41KG

UPRIGHT FRIDGES / FREEZERS

2/1 GN



FEATURES

- Exterior and interior stainless steel body (AISI304)
- Air managing system - provides inside refrigeration balance
- Lockable, reversible and self closing doors
- 20 level embossed guides for shelves or GN containers
- Auto defrost with heating element
- CFC free, high pressure injected polyurethane insulation
- High class energy saving design
- Hygienic and ergonomic interior custom design
- Ventilated air chamber with interior LED lighting



DOUBLE DOOR FREEZER

SPECIFICATIONS

MODEL	Crystal ECO 1400D
ELECTRICITY	0.87kW, 230V, Single Phase
DIMENSIONS	1400 x 840 x 2060mm high
WEIGHT	177kg
INTERNAL DIMENSIONS	1240 x 690 x 1950mm high
CAPACITY	1250Lt
RUNNER SPACING	50mm
GRIDS SUPPLIED	(6x) 530 x 630mm
TEMPERATURE RANGE	-18 to -10°C
REFRIGERANT GAS	R134a

ORDER CODE **CRY-ECO-E1400D**



SINGLE DOOR FREEZER

SPECIFICATIONS

MODEL	Crystal ECO 700D
ELECTRICITY	0.55kW, 230V, Single Phase
DIMENSIONS	700 x 840 x 2060mm high
WEIGHT	125kg
INTERNAL DIMENSIONS	620 x 690 x 1950mm high
CAPACITY	600Lt
RUNNER SPACING	50mm
GRIDS SUPPLIED	(3x) 530 x 630mm
TEMPERATURE RANGE	-18 to -10°C
REFRIGERANT GAS	R134a

ORDER CODE **CRY-ECO-E700D**

OPTIONAL EXTRAS

GRIDS

2/1 GN GRIDS	530 x 630mm
ORDER CODE	OGS0021

SHELF RUNNERS

LEFT SIDE	XECO-YELK53623L
RIGHT SIDE	XECO-YELK53624L



FEATURES

- Complete structure manufactured from stainless steel
- Sturdy U-rail, wire shelves
- Fitted with interior LED lighting
- Automatic defrost function
- Fitted with 4 device leveling legs
- Fitted with lockable, reversible, self-closing doors
- The adjustable support rails can also be used for GN pans
- Ventilated cooling
- Digital Dixell / Carel thermostat



DOUBLE DOOR FRIDGE

SPECIFICATIONS

MODEL	PolarCab MBF8117
ELECTRICITY	0.35kW, 230V, Single Phase
DIMENSIONS	1315 x 805 x 2065mm high
WEIGHT	171kg
INTERNAL DIMENSIONS	1194 x 685 x 1550mm high
CAPACITY	1240Lt
RUNNER SPACING	100mm
GRIDS SUPPLIED	(6x) 530 x 630mm
TEMPERATURE RANGE	2 to 8°C
REFRIGERANT GAS	R600a

ORDER CODE

PCY/MBF8117



SINGLE DOOR FRIDGE

SPECIFICATIONS

MODEL	PolarCab MBF8116
ELECTRICITY	0.22kW, 230V, Single Phase
DIMENSIONS	730 x 805 x 2065mm high
WEIGHT	107kg
INTERNAL DIMENSIONS	610 x 685 x 1550mm high
CAPACITY	670Lt
RUNNER SPACING	100mm
GRIDS SUPPLIED	(3x) 530 x 630mm
TEMPERATURE RANGE	2 to 8°C
REFRIGERANT GAS	R600a

ORDER CODE

PCY/MBF8116



DOUBLE DOOR FREEZER

SPECIFICATIONS

MODEL	PolarCab MBF8114
ELECTRICITY	0.98kW, 230V, Single Phase
DIMENSIONS	1315 x 805 x 2065mm high
WEIGHT	177kg
INTERNAL DIMENSIONS	1194 x 685 x 1550mm high
CAPACITY	1240Lt
RUNNER SPACING	100mm
GRIDS SUPPLIED	(6x) 530 x 630mm
TEMPERATURE RANGE	-18 to -10°C
REFRIGERANT GAS	R290

ORDER CODE

PCY/MBF8114



SINGLE DOOR FREEZER

SPECIFICATIONS

MODEL	PolarCab MBF8113
ELECTRICITY	0.6kW, 230V, Single Phase
DIMENSIONS	730 x 805 x 2065mm high
WEIGHT	115kg
INTERNAL DIMENSIONS	610 x 685 x 1550mm high
CAPACITY	670Lt
RUNNER SPACING	100mm
GRIDS SUPPLIED	(3x) 530 x 630mm
TEMPERATURE RANGE	-18 to -10°C
REFRIGERANT GAS	R290

ORDER CODE

PCY/MBF8113



OPTIONAL EXTRAS

GRIDS

2/1 GN GRIDS	530 x 630mm
ORDER CODE	OGS0021

SHELF RUNNERS


LEFT SIDE	XPCY-80037407
RIGHT SIDE	XPCY-80037408

REFRIGERATED STAINLESS STEEL STORAGE CABINETS



FEATURES

- Stainless steel exterior
- Plastic coated grid shelves
- Interior LED lighting
- ABS interior
- Dixell / Carel digital thermostat
- Reversible self-closing door with lock




580 LITRE FREEZER

SPECIFICATIONS

MODEL	PolarCab SF58VS
ELECTRICITY	0.32kW, 220V, Single Phase
DIMENSIONS	775 x 750 x 1860mm high
INTERNAL DIMENSIONS	635 x 450 x 1627mm high
GROSS VOLUME	580Lt
GRID SUPPLIED	5
WEIGHT	128kg
TEMPERATURE RANGE	-18 to -10°C
REFRIGERANT GAS	R290

ORDER CODE **PCG/SF58VS**



300 LITRE FREEZER (GLASS DOOR)

SPECIFICATIONS

MODEL	PolarCab SF30VGS
ELECTRICITY	0.3kW, 220V, Single Phase
DIMENSIONS	600 x 600 x 1850mm high
INTERNAL DIMENSIONS	460 x 460 x 1627mm high
GROSS VOLUME	300Lt
GRID SUPPLIED	5
WEIGHT	115kg
TEMPERATURE RANGE	-18 to -10°C
REFRIGERANT GAS	R290

ORDER CODE **PCG/SF30VGS**

580 LITRE FRIDGE

SPECIFICATIONS

MODEL	PolarCab SR58VS
ELECTRICITY	0.24kW, 220V, Single Phase
DIMENSIONS	775 x 750 x 1860mm high
INTERNAL DIMENSIONS	635 x 460 x 1627mm high
GROSS VOLUME	580Lt
GRID SUPPLIED	4
WEIGHT	90kg
TEMPERATURE RANGE	2 to 8°C
REFRIGERANT GAS	R600a



ORDER CODE **PCG/SR58VS**

300 LITRE FRIDGE (GLASS DOOR)

SPECIFICATIONS

MODEL	PolarCab SR30VGS
ELECTRICITY	0.18kW, 220V, Single Phase
DIMENSIONS	600 x 600 x 1860mm high
INTERNAL DIMENSIONS	460 x 460 x 1627mm high
GROSS VOLUME	300Lt
GRID SUPPLIED	4
WEIGHT	103kg
TEMPERATURE RANGE	2 to 8°C
REFRIGERANT GAS	R600a

ORDER CODE **PCG/SR30VGS**




300 LITRE FREEZER

SPECIFICATIONS

MODEL	PolarCab SF30VS
ELECTRICITY	0.3kW, 220V, Single Phase
DIMENSIONS	600 x 600 x 1860mm high
INTERNAL DIMENSIONS	460 x 460 x 1627mm high
GROSS VOLUME	300Lt
GRID SUPPLIED	4
WEIGHT	100kg
TEMPERATURE RANGE	-18 to -10°C
REFRIGERANT GAS	R290

ORDER CODE **PCG/SF30VS**



120 LITRE FREEZER

SPECIFICATIONS

MODEL	PolarCab SF12VS
ELECTRICITY	0.17kW, 220V, Single Phase
DIMENSIONS	600 x 600 x 850mm high
INTERNAL DIMENSIONS	460 x 410 x 465mm high
GROSS VOLUME	120Lt
GRID SUPPLIED	3
WEIGHT	52kg
TEMPERATURE RANGE	-18 to -10°C
REFRIGERANT GAS	R600a

ORDER CODE **PCG/SF12VS**

300 LITRE FRIDGE

SPECIFICATIONS

MODEL	PolarCab SR30VS
ELECTRICITY	0.18kW, 220V, Single Phase
DIMENSIONS	600 x 600 x 1860mm high
INTERNAL DIMENSIONS	460 x 460 x 1627mm high
GROSS VOLUME	300Lt
GRID SUPPLIED	4
WEIGHT	118kg
TEMPERATURE RANGE	2 to 8°C
REFRIGERANT GAS	R600a

ORDER CODE **PCG/SR30VS**

120 LITRE FRIDGE

SPECIFICATIONS

MODEL	PolarCab SR12S
ELECTRICITY	0.14kW, 220V, Single Phase
DIMENSIONS	600 x 600 x 850mm high
INTERNAL DIMENSIONS	460 x 410 x 645mm high
GROSS VOLUME	120Lt
GRID SUPPLIED	3
WEIGHT	48kg
TEMPERATURE RANGE	2 to 8°C
REFRIGERANT GAS	R600a

ORDER CODE **PCG/SR12S**